

Antenna Systems & Supplies Company

931 Albion Ave


Schaumburg, Illinois 60193

Phone: 847-584-1000 Fax: 847-584-9951

www.antennasystems.com

Item #BS150UA is a Basestation Antenna

Technical Specification:

BSXL Series Omni Base Antenna with Copper Alloy Elements and Fiberglass Radome	
Frequency Range	144-150 MHz
Gain:	Unity
Impedance:	50 ohms
Power Rating	250 watts
Bandwidth:	6MHz
VSWR:	<1.5:1
Mechanical Specs:	
Radiator:	Copper Alloy, Fiberglass Radome
Base:	Polyester Coated Aluminum
Contact:	N/A
Length:	64 "
Mounting:	Mount Kit Optional


Antenna Systems & Supplies Company

931 Albion Ave

Schaumburg, Illinois 60193

Phone: 847-584-1000 Fax: 847-584-9951

www.antennasystems.com

Item #BS150UB is a Basestation Antenna	
Technical Specification:	
BSXL Series Omni Base Antenna with Copper Alloy Elements and Fiberglass Radome.	
Frequency Range	150-156 MHz
Gain:	Unity
Impedance:	50 ohms
Power Rating	250 watts
Bandwidth:	6MHz
VSWR:	<1.5:1
Mechanical Specs:	
Radiator:	Copper Alloy, Fiberglass Radome
Base:	Polyester Coated Aluminum
Contact:	N/A
Length:	64
Mounting:	Mount Kit Optional

Antenna Systems & Supplies Company

931 Albion Ave

Schaumburg, Illinois 60193

Phone: 847-584-1000 Fax: 847-584-9951

www.antennasystems.com

Item #BS150UC is a Basestation Antenna

Technical Specification:

BSXL Series Omni Base Antenna with Copper Alloy Elements and Fiberglass Radome.



Frequency Range	156-162 MHz
Gain:	Unity
Impedance:	50 ohms
Power Rating	250 watts
Bandwidth:	6MHz
VSWR:	<1.5:1
Mechanical Specs:	
Radiator:	Copper Alloy, Fiberglass Radome
Base:	Polyester Coated Aluminum
Contact:	N/A
Length:	64"
Mounting:	Mount Kit Optional

Antenna Systems & Supplies Company

931 Albion Ave

Schaumburg, Illinois 60193

Phone: 847-584-1000 Fax: 847-584-9951

www.antennasystems.com

Item #BS150UD is a Basestation Antenna

Technical Specification:

BSXL Series Omni Base Antenna with Copper Alloy Elements and Fiberglass Radome.



Frequency Range	162-168 MHz
Gain:	Unity
Impedance:	50 ohms
Power Rating	250 watts
Bandwidth:	6MHz
VSWR:	<1.5:1
Mechanical Specs:	
Radiator:	Copper Alloy, Fiberglass Radome
Base:	Polyester Coated Aluminum
Contact:	N/A
Length:	64"
Mounting:	Mount Kit Optional


Antenna Systems & Supplies Company

931 Albion Ave

Schaumburg, Illinois 60193

Phone: 847-584-1000 Fax: 847-584-9951

www.antennasystems.com

Item #BS150UE is a Basestation Antenna	
Technical Specification:	
BSXL Series Omni Base Antenna with Copper Alloy Elements and Fiberglass Radome.	
Frequency Range	168-174 MHz
Gain:	Unity
Impedance:	50 ohms
Power Rating	250 watts
Bandwidth:	6MHz
VSWR:	<1.5:1
Mechanical Specs:	
Radiator:	Copper Alloy, Fiberglass Radome
Base:	Polyester Coated Aluminum
Contact:	N/A
Length:	64"
Mounting:	Mount Kit Optional