




Antenna Systems & Supplies Company
 931 Albion Avenue
 Schaumburg, Illinois 60193
 United States of America
 Phone: 847-584-1000 Fax: 847-584-9951
 www.antennasystems.com

Item #BS220SB is a Basestation Antenna

Technical Specification:

S Series Omni Base Antenna with Copper Alloy Elements and 1/2" Fiberglass Radome with TNC Connector Termination.	
--	---


Frequency Range	210-220 MHz
Gain:	Unity
Impedance:	50 ohms
Power Rating	100 watts
Bandwidth:	8MHz
VSWR:	<1.5:1

Mechanical Specs:

Radiator:	Copper Alloy Fiberglass Radome
Base:	Polyester Coated Aluminum
Contact:	N/A
Length:	37"
Mounting:	



Antenna Systems & Supplies Company
 931 Albion Avenue
 Schaumburg, Illinois 60193
 United States of America
 Phone: 847-584-1000 Fax: 847-584-9951
 www.antennasystems.com

Item #BS220SC is a Basestation Antenna	
Technical Specification:	
<p>S Series Omni Base Antenna with Copper Alloy Elements and 1/2" Fiberglass Radome with TNC Connector Termination.</p>	
Frequency Range	220-225 MHz
Gain:	Unity
Impedance:	50 ohms
Power Rating	100 watts
Bandwidth:	8MHz
VSWR:	<1.5:1
Mechanical Specs:	
Radiator:	Copper Alloy Fiberglass Radome
Base:	Polyester Coated Aluminum
Contact:	N/A
Length:	37"
Mounting:	



Antenna Systems & Supplies Company
 931 Albion Avenue
 Schaumburg, Illinois 60193
 United States of America
 Phone: 847-584-1000 Fax: 847-584-9951
 www.antennasystems.com

Item #BS220SNB is a Basestation Antenna

Technical Specification:

S Series Omni Base Antenna with Copper Alloy Elements and 1/2" Fiberglass Radome with N Connector Termination.



Frequency Range	210-220 MHz
Gain:	Unity
Impedance:	50 ohms
Power Rating	100 watts
Bandwidth:	8MHz
VSWR:	<1.5:1

Mechanical Specs:

Radiator:	Copper Alloy Fiberglass Radome
Base:	Polyester Coated Aluminum
Contact:	N/A
Length:	37"
Mounting:	



Antenna Systems & Supplies Company
 931 Albion Avenue
 Schaumburg, Illinois 60193
 United States of America
 Phone: 847-584-1000 Fax: 847-584-9951
 www.antennasystems.com

Item #BS220SNC is a Basestation Antenna

Technical Specification:

S Series Omni Base Antenna with Copper Alloy Elements and 1/2" Fiberglass Radome with N Connector Termination.



Frequency Range	220-225 MHz
Gain:	Unity
Impedance:	50 ohms
Power Rating	100 watts
Bandwidth:	8MHz
VSWR:	<1.5:1

Mechanical Specs:

Radiator:	Copper Alloy Fiberglass Radome
Base:	Polyester Coated Aluminum
Contact:	N/A
Length:	37"
Mounting:	